



jaga



Eyecatchers

TWINE & PINCH BT

€ 2016-2017.EX



Eyecatchers
* From design to art *

TWINE & PINCH

A tribute to the traditional column radiator.

Twine & Pinch are inspired by the traditional column radiator. The slim, vertical heat element and the strong design bring a touch of authenticity, with a modern twist.

With a heat capacity of around 1000 watts/m² at a water flow temperature of 55°C, Twine and Pinch sets new standards for high power, beautifully designed radiators.



reddot design award
winner 2009

LR version with integrated valve: see p. 180

TWINE PIANO



TWINE & PINCH



TWINE PIANO LIMITED EDITION


Radiation tubes alternating in black 304 and white 333

Price same as to the standard radiator.

Code: enter colour code PIA



DIMENSIONS (in cm)



LR version with integrated valve:
see p. 182

L	C*
35	21
42	28
56	42
63	49
70	49
84	63
105	84
126	105
147	126

* C = -0 / +1

DELIVERY

- Twine with central connection BT
- wall fixing
- concealed air vent and drain plug G 1/2"

COLOURS

- the collector consists of nickel-plated injection rings, finished in brushed stainless steel effect.
- the radiation tubes are finished with environmentally friendly, scratch-resistant, high UV resistant powder coating. Available in all Jaga colours: soft touch lightly structured satin lacquer (series 1..), smooth glossy (series 2..), smooth satin matt (series 3..) and special colours (series 0..).

CONNECTION

Central connection BT below or above.
The radiator is symmetrical and can be mounted either way up.
Flow must always be on the right hand side!

OPTIONS

Towel rail in stainless steel



CODE	L	min. L radiator	€
9042.01379.012	38	33	103,10
9042.01501.012	50	45	108,90
9042.01622.012	62	57	114,70
9042.01683.012	68	63	119,50
9042.01743.012	74	69	124,30

Towel rail in chrome-plated aluminium



CODE	L	min. L radiator	€
9042.02560.009	56	45	219,80
9042.02660.009	66	57	219,80

CONNECTION SETS

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set	DESCRIPTION	€
48	BRUSHED STAINLESS STEEL	
	CODE.PW3.PS.1...	215,80
41	CHROME	
	CODE.PW3.DW.1...	147,90
	CODE.PW3.DC.1...	158,70

code klemkoppeling invullen

precision metal tube 15/1	115
precision metal tube 16/1	116
precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connection sets and sleeve couplings

See chapter "Connection sets and valves" for all connection options and technical information

CREATE YOUR OWN

Make your own colour composition. All the required information and prices: export@jaga.be

TWINE BT

code height length colour conn.
TWIW . 050 033. XXX /BT
fill in colour code

L	Watts		€
	75/65	55/45	
H 050			
033	375	192	1096,60
045	512	262	1402,40
057	648	331	1708,00
063	716	366	1861,00
069	784	401	2013,60
081	921	471	2319,60
099	1125	575	2778,00
117	1330	680	3236,60
135	1535	785	3695,20

L	Watts		€
	75/65	55/45	
H 090			
033	624	319	1225,80
045	851	435	1574,30
057	1077	551	1922,70
063	1191	609	2096,90
069	1304	667	2270,80
081	1531	783	2619,20
099	1871	957	3141,80
117	2211	1131	3664,40
135	2552	1305	4186,90


L	Watts		€
	75/65	55/45	
H 180			
033	1141	574	1510,10
045	1556	783	1959,70
057	1970	992	2409,10
063	2178	1096	2634,00
069	2385	1200	2858,60
081	2800	1409	3308,30
099	---	---	---
117	---	---	---
135	---	---	---

L	Watts		€
	75/65	55/45	
H 200			
033	1206	606	1571,60
045	1644	826	2043,60
057	2082	1046	2515,30
063	2302	1157	2751,20
069	2521	1267	2987,00
081	2959	1487	3458,90
099	---	---	---
117	---	---	---
135	---	---	---

EN442 output at 20°C room temperature



DIMENSIONS (in cm)



LR version with integrated valve:
see p. 184

L	C*
35	21
42	28
56	42
63	49
70	49
84	63
105	84
126	105
147	126

* C = -0 / +1

DELIVERY

- Pinch with central connection BT
- wall fixing
- concealed air vent and drain plug G 1/2"

COLOURS

- the collector consists of nickel-plated injection rings, finished in brushed stainless steel effect.
- the radiation tubes are finished with environmentally friendly, scratch-resistant, high UV resistant powder coating. Available in all Jaga colours: soft touch lightly structured satin lacquer (series 1..), smooth glossy (series 2..), smooth satin matt (series 3..) and special colours (series 0..).

CONNECTION




Central connection BT below or above.
The radiator is symmetrical and can be mounted either way up.
Flow must always be on the right hand side!

CONNECTION SETS

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48	BRUSHED STAINLESS STEEL	€
	CODE.PW3.PS.1...	215,80
set 41	CHROME	€
	CODE.PW3.DW.1...	147,90
	CODE.PW3.DC.1...	158,70

code klemkoppeling invullen

precision metal tube 15/1	115
precision metal tube 16/1	116
precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connection sets and sleeve couplings

See chapter "Connection sets and valves" for all connection options and technical information

PINCH BT

code height length colour conn.
PINW . 050 035. XXX /BT
fill in colour code


L	Watts		€
	75/65	55/45	
H 050			
035	361	188	1052,10
042	433	226	1199,00
056	578	301	1493,60
063	650	339	1641,00
070	722	376	1788,30
084	866	451	2082,80
105	1083	564	2524,80
126	1300	677	2966,10
147	1516	790	3408,30

L	Watts		€
	75/65	55/45	
H 090			
035	588	305	1146,90
042	706	366	1308,80
056	941	488	1632,90
063	1058	548	1794,90
070	1176	609	1957,00
084	1411	731	2280,70
105	1764	914	2766,80
126	2117	1097	3252,60
147	2470	1280	3738,40

L	Watts		€
	75/65	55/45	
H 180			
035	1091	571	1350,70
042	1309	685	1548,80
056	1746	914	1944,80
063	1964	1028	2142,90
070	2182	1142	2341,30
084	2618	1371	2737,10
105	---	---	---
126	---	---	---
147	---	---	---

L	Watts		€
	75/65	55/45	
H 200			
035	1158	597	1394,70
042	1390	717	1600,40
056	1853	955	2012,30
063	2084	1074	2218,30
070	2316	1194	2424,50
084	2779	1433	2836,40
105	---	---	---
126	---	---	---
147	---	---	---

EN442 output at 20°C room temperature



Jaga International
Verbindingslaan z/n
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16
Fax: +32 (0)11 29 41 60
export@jaga.be

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1 August 2016.
Replaces all existing price lists.